

HPD UNIQUE IDENTIFIER: 23656

CLASSIFICATION: 09 29 00 Gypsum Board

PRODUCT DESCRIPTION: This HPD covers 1/2" M-Bloc® Gypsum Wallboard with Mold & Moisture Resistance, 5/8" M-Bloc® Type X Gypsum Wallboard with Mold & Moisture Resistance, 5/8" M-Bloc® Type C Gypsum Wallboard with Mold & Moisture Resistance, 5/8" M-Bloc® AR Type X Gypsum Wallboard with Mold & Moisture Resistance, 5/8" M-Bloc® IR Type X Gypsum Wallboard with Mold & Moisture Resistance and 1" M-Bloc® Gypsum Shaft Liner with Mold & Moisture Resistance. This family of Mold & Moisture Resistance panels are ideal for any project, are easily identifiable by its blue face paper and have been tested to the industry's most rigorous standards for mold and mildew grow, scoring a perfect 10 per ASTM D3273.

Section 1: Summary

Basic Method / Product Threshold

CONTENT INVENTORY

Table with 4 columns: Inventory Reporting Format, Threshold level, Residuals/Impurities, and screening options. Includes radio buttons for 'Basic Method', '1,000 ppm', 'Per GHS SDS', 'Other', 'Considered', 'Partially Considered', 'Not Considered', 'Explanation(s) provided for Residuals/Impurities?', 'Yes', 'No', 'Yes Ex/SC', 'No Ex/SC', 'Yes', 'No', 'Yes', 'No'.

CONTENT IN DESCENDING ORDER OF QUANTITY

Summary of product contents and results from screening individual chemical substances against HPD Priority Hazard Lists and the GreenScreen for Safer Chemicals®. The HPD does not assess whether using or handling this product will expose individuals to its chemical substances or any health risk. Refer to Section 2 for further details.

MATERIAL | SUBSTANCE | RESIDUAL OR IMPURITY
GREENSCREEN SCORE | HAZARD TYPE
M-BLOC® GYPSUM WALLBOARD WITH MOLD & MOISTURE RESISTANCE [GYPSUM LT-UNK CELLULOSE LT-UNK | RES ACID MODIFIED, CORN STARCH NoGS UNDISCLOSED NoGS GLASS FIBER LT-UNK]

Number of Greenscreen BM-4/BM3 contents ... 0
Contents highest concern GreenScreen Benchmark or List translator Score ... LT-UNK
Nanomaterial ... No

INVENTORY AND SCREENING NOTES:

This Health Product Declaration (HPD) was completed in accordance with the HPD Standard version 2.1, and discloses hazards associated with all substances present at or above 1000 parts per million (ppm) in the finished product, along with the role and percent weight. Therefore, this HPD qualifies for the LEED v4 MR credit Building Product Disclosure and Optimization: Material Ingredient Reporting (Option 1).

VOLATILE ORGANIC COMPOUND (VOC) CONTENT

VOC Content data is not applicable for this product category.

CERTIFICATIONS AND COMPLIANCE See Section 3 for additional listings.

VOC emissions: GreenGuard - Gold (previously Children & Schools)
VOC content: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings

CONSISTENCY WITH OTHER PROGRAMS

Pre-checked for LEED v4 Material Ingredients Option 1

Third Party Verified?

- Yes
- No

PREPARER: Self-Prepared

VERIFIER:

VERIFICATION #:

SCREENING DATE: 2021-02-01

PUBLISHED DATE: 2021-02-01

EXPIRY DATE: 2024-02-01

Section 2: Content in Descending Order of Quantity

This section lists contents in a product based on specific threshold(s) and reports detailed health information including hazards. This HPD uses the inventory method indicated above, which is one of three possible methods:

- Basic Inventory method with Product-level threshold.
- Nested Material Inventory method with Product-level threshold
- Nested Material Inventory method with individual Material-level thresholds

Definitions and requirements for the three inventory methods and requirements for each data field can be found in the HPD Open Standard version 2.2, available on the HPDC website at: www.hpd-collaborative.org/hpd-2-2-standard

M-BLOC® GYPSUM WALLBOARD WITH MOLD & MOISTURE RESISTANCE

PRODUCT THRESHOLD: 1000 ppm

RESIDUALS AND IMPURITIES CONSIDERED: Yes

RESIDUALS AND IMPURITIES NOTES: All items with values exceeding thresholds were examined for content

OTHER PRODUCT NOTES: The family M-Bloc panels are ideal for any project where mold & moisture resistance are of concern.

GYPSUM

ID: 13397-24-5

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**

#: **90.0000 - 96.0000** GS: **LT-UNK** RC: **None** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: GYPSUM IS A NATURALLY OCCURING ORE OR A SPECIALTY MANUFACTURED PRODUCT OF COAL COMBUSTION

CELLULOSE

ID: 9004-34-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**

#: **3.9000 - 5.2000** GS: **LT-UNK** RC: **Both** NANO: **No** SUBSTANCE ROLE: **Structure component**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
RES	AOEC - Asthmagens	Asthmagen (Rs) - sensitizer-induced

SUBSTANCE NOTES: All residuals and impurities evaluated to product threshold levels

ACID MODIFIED, CORN STARCH

ID: 65996-63-6

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**

#: **1.0000 - 1.0000** GS: **NoGS** RC: **None** NANO: **Unknown** SUBSTANCE ROLE: **Binder**

HAZARD TYPE	AGENCY AND LIST TITLES	WARNINGS
None found		No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES:

UNDISCLOSED

ID: **Undisclosed**

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library** HAZARD SCREENING DATE: **2021-02-01**

%: 0.5000 - 1.7000

GS: NoGS

RC: None

NANO: No

SUBSTANCE ROLE: Flame retardant

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: NATURALLY OCCURRING MATERIAL USED AS A CORE ADDITIVE

GLASS FIBER

ID: 65997-17-3

HAZARD SCREENING METHOD: **Pharos Chemical and Materials Library**

HAZARD SCREENING DATE: **2021-02-01**

%: 0.2000 - 1.3500

GS: LT-UNK

RC: None

NANO: No

SUBSTANCE ROLE: Flame retardant

HAZARD TYPE

AGENCY AND LIST TITLES

WARNINGS

None found

No warnings found on HPD Priority Hazard Lists

SUBSTANCE NOTES: ALL RESIDUALS AND IMPURITIES EVALAUATED TO PRODUCT THRESHOLD LEVEL

Section 3: Certifications and Compliance

This section lists applicable certification and standards compliance information for VOC emissions and VOC content. Other types of health or environmental performance testing or certifications completed for the product may be provided.

VOC EMISSIONS	GreenGuard - Gold (previously Children & Schools)		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2009-04-25	EXPIRY DATE: 2019-04-24	CERTIFIER OR LAB: UL Environment
APPLICABLE FACILITIES: All manufacturing facilities			
CERTIFICATE URL: http://greenguard.org/en/index.aspx			
CERTIFICATION AND COMPLIANCE NOTES:			
VOC CONTENT	UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings		
CERTIFYING PARTY: Third Party	ISSUE DATE: 2009-04-25	EXPIRY DATE: 2018-04-25	CERTIFIER OR LAB: UNDERWRITER LABS GREENGUARD
APPLICABLE FACILITIES: ALL MANUFACTURING FACILITIES ARE CERTIFIED FOR PRODUCTION			
CERTIFICATE URL: https://industries.ul.com/environment/certificationvalidation-marks/greenguard-certification-program			
CERTIFICATION AND COMPLIANCE NOTES: UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings Certificate Number 6556-420 for 5/8 Inch M-Bloc Type X ; UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings Certificate Number 10452-420 for 5/8 Inch M-Bloc Type C ; UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings Certificate Number 11886-420 for M-Bloc AR Type X ; UL 2818 - 2013 Gold Standard for Chemical Emissions for Building Materials, Finishes and Furnishings Certificate Number 11887-420 for M-Bloc IR Type X			

Section 4: Accessories

This section lists related products or materials that the manufacturer requires or recommends for installation (such as adhesives or fasteners), maintenance, cleaning, or operations. For information relating to the contents of these related products, refer to their applicable Health Product Declarations, if available.

No accessories are required for this product.

Section 5: General Notes

RESIDUALS AND IMPURITIES ARE CONSIDERED IN ANY INGREDIENT EXCEEDING PRODUCT THRESHOLD VALUES AS STATED IN MATERIAL NOTES. THE RESIDUALS OR IMPURITIES OCCURING WITHIN MATERIALS EXCEEDING THE PRODUCT THRESHOLD VALUE DID NOT MEET THE THRESHOLD VALUE FOR REPORTING

MANUFACTURER INFORMATION

MANUFACTURER: American Gypsum Company LLC
ADDRESS: 5960 Berkshire Lane
 Suite 800
 Dallas TX 75225, USA
WEBSITE: <http://www.americangypsum.com/>

CONTACT NAME: Bob Ek
TITLE: Director of Systems Development & Technical Services
PHONE: 1-800-545-6302 ext. 5607
EMAIL: bob.ek@americangypsum.com

The listed contact is responsible for the validity of this HPD and attests that it is accurate and complete to the best of his or her knowledge.

KEY

Hazard Types

AQU Aquatic toxicity	LAN Land toxicity	PHY Physical hazard (flammable or reactive)
CAN Cancer	MAM Mammalian/systemic/organ toxicity	REP Reproductive
DEV Developmental toxicity	MUL Multiple	RES Respiratory sensitization
END Endocrine activity	NEU Neurotoxicity	SKI Skin sensitization/irritation/corrosivity
EYE Eye irritation/corrosivity	NF Not found on Priority Hazard Lists	UNK Unknown
GEN Gene mutation	OZO Ozone depletion	
GLO Global warming	PBT Persistent, bioaccumulative, and toxic	

GreenScreen (GS)

BM-4 Benchmark 4 (prefer-safer chemical)	LT-1 List Translator 1 (Likely Benchmark-1)
BM-3 Benchmark 3 (use but still opportunity for improvement)	LT-UNK List Translator Benchmark Unknown (the chemical is present on at least one GreenScreen Specified List, but the information contained within the list did not result in a clear mapping to a LT-1 or LTP1 score.)
BM-2 Benchmark 2 (use but search for safer substitutes)	NoGS No GreenScreen.
BM-1 Benchmark 1 (avoid - chemical of high concern)	
BM-U Benchmark Unspecified (due to insufficient data)	
LT-P1 List Translator Possible 1 (Possible Benchmark-1)	

Recycled Types

PreC Pre-consumer recycled content
PostC Post-consumer recycled content
UNK Inclusion of recycled content is unknown
None Does not include recycled content

Other Terms:

GHS SDS Globally Harmonized System of Classification and Labeling of Chemicals Safety Data Sheet

Inventory Methods:

Nested Method / Material Threshold Substances listed within each material per threshold indicated per material
Nested Method / Product Threshold Substances listed within each material per threshold indicated per product
Basic Method / Product Threshold Substances listed individually per threshold indicated per product

Nano Composed of nano scale particles or nanotechnology
Third Party Verified Verification by independent certifier approved by HPDC
Preparer Third party preparer, if not self-prepared by manufacturer
Applicable facilities Manufacturing sites to which testing applies

The Health Product Declaration (HPD) Open Standard provides for the disclosure of product contents and potential associated human and environmental health hazards. Hazard associations are based on the HPD Priority Hazard Lists, the GreenScreen List Translator™, and when available, full GreenScreen® assessments. The HPD Open Standard v2.1 is not:

- a method for the assessment of exposure or risk associated with product handling or use,
- a method for assessing potential health impacts of: (i) substances used or created during the manufacturing process or (ii) substances created after the product is delivered for end use.

Information about life cycle, exposure and/or risk assessments performed on the product may be reported by the manufacturer in appropriate Notes sections, and/or, where applicable, in the Certifications section.

The HPD Open Standard was created and is supported by the Health Product Declaration Collaborative (the HPD Collaborative), a customer-led organization composed of stakeholders throughout the building industry that is committed to the continuous improvement of building products through transparency, openness, and innovation throughout the product supply chain.

The product manufacturer and any applicable independent verifier are solely responsible for the accuracy of statements and claims made in this HPD and for compliance with the HPD standard noted.