



GA-605-2018
PROPRIETARY GYPSUM PANEL PRODUCTS
FOR USE IN UL CLASSIFIED SYSTEMS

The *Fire Resistance Directory* published by Underwriters Laboratories Inc. (UL) lists gypsum panel products that are classified for fire resistance under category “Gypsum Board (CKNX).” Each UL Design lists the specific manufacturers and products that are suitable for use in the design. The products are identified with a Type designation that ties back to specific board formulations. The UL Type designation appears on the UL label on the product. However, gypsum panel end tapes and product literature do not generally contain the UL type designation but a product name or trademark. The following tables provide a quick and easy reference to identify the specific products, brand names, or trademarks of each gypsum panel manufacturer for each type designation in the UL *Directory*.

COMPANY NAME	PAGE
American Gypsum Company LLC	1
CertainTeed Gypsum, Inc. / CertainTeed Gypsum Canada, Inc.	2
Continental Building Products Operating Company, LLC	3
Georgia-Pacific Gypsum LLC	4
National Gypsum Company	5
PABCO® Gypsum	6
United States Gypsum Company / CGC Inc.	7

American Gypsum Company LLC	
UL Type Designation	Product Name
AG-C	1/2" FireBloc® Type C 5/8" FireBloc® Type C 5/8" FireBloc® Type C Soffit 5/8" M-Bloc® Type C with Mold & Moisture Resistance
AGX-1, AGX-11	5/8" FireBloc® Type X 5/8" Exterior Sheathing Type X 5/8" Soffit Type X 5/8" M-Bloc® Type X with Mold & Moisture Resistance 5/8" M-Bloc® AR Type X Abuse with Mold & Moisture Resistance 5/8" M-Bloc® IR Type X Impact with Mold & Moisture Resistance
AG-S	1" Shaft Liner 1" M-Bloc® Shaft Liner with Mold & Moisture Resistance
M-Glass	5/8" M-Glass® Type X Sheathing 1" M-Glass® Shaft Liner with Mold & Moisture Resistance
LightRoc	5/8" LightRoc® Type X

PROPRIETARY GYPSUM PANEL PRODUCTS FOR USE IN UL CLASSIFIED SYSTEMS

CertainTeed Gypsum, Inc. / CertainTeed Gypsum Canada, Inc.	
UL Type Designation	Product Name
Type X or Type X-1	5/8" CertainTeed® Type X 5/8" CertainTeed® Sheathing Treated Core Type X 5/8" CertainTeed® Abuse Resistant Type X 5/8" CertainTeed® Veneer Plaster Base Type X 5/8" CertainTeed® 54" Type X 5/8" CertainTeed® Evenwall Type X 5/8" CertainTeed® Exterior Soffit Type X 5/8" M2Tech® Type X 5/8" AirRenew® Essential Type X 5/8" AirRenew® M2Tech® Type X 5/8" Extreme Abuse 5/8" Extreme Impact
Type C	2" CertainTeed® Type C 1/2" CertainTeed® Sheathing Treated Core Type C 1/2" CertainTeed® Veneer Plaster Base Type C 1/2" CertainTeed® Exterior Soffit Type C 1/2" CertainTeed® Abuse Resistant Type C 5/8" CertainTeed® Type C 5/8" CertainTeed® Sheathing Treated Core Type C 5/8" CertainTeed® Veneer Plaster Base Type C 5/8" CertainTeed® Exterior Soffit Type C 5/8" M2Tech® Type C
SilentFX	5/8" SilentFX® QuickCut™ Type X
EGRG or GlasRoc or GlasRoc-2	5/8" GlasRoc® Sheathing Type X 5/8" GlasRoc® Interior Type X 5/8" GlasRoc® Diamondback® Tile Backer Type X 5/8" GlasRoc® Roof Board Type X
Shaftliner	1" M2Tech® Shaftliner
GlasRoc Shaftliner	1" GlasRoc® Shaftliner
Easi-Lite Type X or Easi-Lite Type X-2	5/8" CertainTeed® Easi-Lite™ Type X
Easi-Lite 30	5/8" CertainTeed® Easi-Lite™30
Habito	1/2" Habito® 5/8" Habito®

PROPRIETARY GYPSUM PANEL PRODUCTS FOR USE IN UL CLASSIFIED SYSTEMS

Continental Building Products Operating Company, LLC	
UL Type Designation	Product Name
Type CLL30	5/8" LiftLite® Firecheck® 30
Type LGFC2A	5/8" Mold Defense® Type X
Type LGFC6A	5/8" Firecheck® Type X 5/8" Firecheck® Plasterbase Type X 5/8" Firecheck® Soffitboard Type X 5/8" Protecta® AR 100 Type X with Mold Defense® 5/8" Protecta® HIR 300 Type X with Mold Defense® 5/8" Rapid Deco® Level 5 Type X 5/8" Rapid Deco® Level 5 with Mold Defense® Type X 5/8" Rapid Deco® Level 5 Type X with Protecta® Abuse Resistance
Type LGFC-C/A	1/2" Firecheck® Type C 1/2" Firecheck® Soffitboard Type C 5/8" Firecheck® Type C 5/8" Firecheck® Soffitboard Type C
Type LGFCSL	1" Shaftliner Type X 1" Mold Defense® Shaftliner Type X 1" Weather Defense Platinum® Shaftliner Type X
Type LGFC-WD	5/8" Weather Defense® Sheathing Type X 5/8" LiftLite® Weather Defense® Sheathing Type X 5/8" Weather Defense Platinum® Interior Type X 5/8" LiftLite® Weather Defense® Interior Type X

Georgia-Pacific Gypsum LLC	
UL Type Designation	Product Name
Type TG-C	1/2" ToughRock® Fireguard C® Gypsum Board 1/2" ToughRock® Fireguard C® Stretch 54® Gypsum Board 5/8" ToughRock® Fireguard C® Gypsum Board 5/8" ToughRock® Fireguard C® Stretch 54® Gypsum Board 5/8" ToughRock® Fireguard C® Soffit Board
Type X	1/2" ToughRock® Fireguard® 45 Gypsum Board 5/8" ToughRock® Fireguard X® Gypsum Board 5/8" ToughRock® Fireguard X® Stretch 54® Gypsum Board 5/8" ToughRock® Fireguard X® Gypsum Sheathing 5/8" ToughRock® Fireguard X® Veneer Plaster Base 5/8" ToughRock® Fireguard X® Abuse-Resistant Gypsum Board 5/8" ToughRock® Fireguard X® Mold-Guard™ Gypsum Board 5/8" ToughRock® Fireguard X® Mold-Guard™ Abuse-Resistant Gypsum Board
Type LWX	5/8" ToughRock® Lite-Weight Fire-Rated Gypsum
Type TP-6	1" ToughRock® Shaftliner
Type DGG	5/8" DensGlass® Fireguard® Sheathing 5/8" DensElement® Barrier System
Type DD	5/8" DensDeck® Fireguard® Roof Board 5/8" DensDeck® Fireguard® Prime Roof Board
Type DS	5/8" DensShield® Fireguard® Tile Backer
Type DAP	5/8" DensArmor Plus® Fireguard® Interior Panel 5/8" DensArmor Plus® Fireguard® Abuse-Resistant Interior Panel 5/8" DensArmor Plus® Fireguard® Impact-Resistant Interior Panel
Type DGUSL	1" DensGlass® Shaftliner
Type DAPC	1/2" DensArmor Plus® Fireguard C® Interior Panel 5/8" DensArmor Plus® Fireguard C® Interior Panel

PROPRIETARY GYPSUM PANEL PRODUCTS FOR USE IN UL CLASSIFIED SYSTEMS

National Gypsum Company	
UL Type Designation	Product Name
Type FSW	5/16" Gold Bond® Brand Fire-Shield® Gypsum Board 5/8" Gold Bond® Brand Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Hi Abuse® XP® Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Hi-Impact® XP® Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Fire-Shield® Gypsum Sheathing, Type X 5/8" Gold Bond® Brand XP® Fire-Shield® Gypsum Board, Type X 1" Gold Bond® Brand Fire-Shield® Shaftliner®, Type X 1" Gold Bond® Brand Fire-Shield® Shaftliner XP®, Type X
Type FSW-C	1/2" Gold Bond® Brand Fire-Shield C™ Gypsum Board, Type C 5/8" Gold Bond® Brand Fire-Shield C™ Gypsum Board, Type C 5/8" Gold Bond® Brand XP® Fire-Shield C™ Gypsum Board, Type C
Type FSK	5/8" Gold Bond® Brand Kal-Kore® Fire-Shield® Plaster Base, Type X
Type FSK-C	1/2" Gold Bond® Brand Kal-Kore® Fire-Shield C™ Plaster Base, Type C 5/8" Gold Bond® Brand Kal-Kore® Fire-Shield C™ Plaster Base, Type C
Type FSMR-C	1/2" Gold Bond® Brand XP® Fire-Shield C™ Gypsum Board, Type C 5/8" Gold Bond® Brand XP® Fire-Shield C™ Gypsum Board, Type C
Type FSW-G	1/2" Gridstone® Brand Ceiling Panels 1/2" Gridstone® Brand CleanRoom Ceiling Panels
Type FSW-3	5/8" Gold Bond® Brand XP® Fire-Shield® Gypsum Board, Type X
Type FSW-5	5/8" Gold Bond® Brand Hi-Impact® XP® Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Hi Abuse® XP® Fire-Shield® Gypsum Board, Type X
Type FSW-6	5/8" Gold Bond® Brand eXP® Extended Exposure Sheathing, Type X 5/8" Gold Bond® Brand eXP® Interior Extreme® Gypsum Panel, Type X 5/8" Gold Bond® Brand eXP® Fire-Shield® Tile Backer, Type X 5/8" Gold Bond® Brand eXP® Interior Extreme® IR Gypsum Panel, Type X 5/8" Gold Bond® Brand eXP® Interior Extreme® AR Gypsum Panel, Type X
Type FSW-7	1" Gold Bond® Brand eXP® Extended Exposure Shaftliner, Type X
Type FSW-8	5/8" Gold Bond® Brand Fire-Shield® Gypsum Sheathing, Type X
Type eXP-C	1/2" Gold Bond® Brand eXP® Interior Extreme® C Gypsum Panel, Type C 5/8" Gold Bond® Brand eXP® Interior Extreme® C Gypsum Panel, Type C
Type FSL30 Type FSL Type SoundBreak XP	5/8" Gold Bond® Brand High Strength Fire-Shield® LITE®30 Gypsum Board 5/8" Gold Bond® Brand High Strength Fire-Shield® LITE® Gypsum Board, Type X 5/8" Gold Bond® Brand SoundBreak® XP® Gypsum Board, Type X
Type SoundBreak Gypsum Board	3/4" Gold Bond® Brand SoundBreak® Gypsum Board
Type UltraShield	3/4" Gold Bond® Brand Ultra-Shield® FS® Gypsum Board 3/4" Gold Bond® Brand Ultra-Shield® FS® XP® Gypsum Board
Type DEXcell Glass Mat Roof Board	1/4, 1/2, or 5/8" DEXcell® Glass Mat Roof Board 1/4, 1/2, or 5/8" DEXcell® FA Glass Mat Roof Board

PROPRIETARY GYPSUM PANEL PRODUCTS FOR USE IN UL CLASSIFIED SYSTEMS

PABCO® Gypsum	
UL Type Designation	Product Name
PG-3	1/2" PABCO® FLAME CURB® Gypsum Board Type XXX 1/2" PABCO® Gypsum Soffit Board Type XXX
PG-C	1/2" PABCO® FLAME CURB® Super 'C' Gypsum Board Type PG-C
Type C	5/8" PABCO® FLAME CURB® Super 'C' Gypsum Board Type C 5/8" PABCO® Gypsum Soffit Board Super 'C' Type C
PG-5W	5/8" PABCO® WATER CURB® Gypsum Board Type X 5/8" PABCO® MOLD CURB® Plus Type X 5/8" PABCO® ABUSE CURB® Type X 5/8" PABCO® High Impact Type X
PG-5WS	5/8" PABCO® Gypsum Sheathing Type X
PGS-WRS	5/8" PABCO GLASS® Sheathing Type X
PG-10	1" PABCORE® Gypsum Shaftliner Board Type X 1" PABCORE® MOLD CURB® Plus Gypsum Shaftliner Board Type X 1" PABCO GLASS® Shaftliner Type X
PG-11	5/8" PABCO® Gypsum Soffit Board Type X 5/8" PABCO® FLAME CURB® Gypsum Wallboard Type X
PG-13	3/4" PABCO® FLAME CURB® Gypsum Board Type X 3/4" PABCO® SOUND CURB™ Type X
QuietRock® 530	5/8" QuietRock® 530 Sound Damped Gypsum Board Type X 5/8" QuietRock® 530 RF Sound Damped Gypsum Board Type X
QuietRock® ES	5/8" QuietRock® ES Sound Damped Gypsum Board Type X 5/8" QuietRock® ES MR Sound Damped Gypsum Board Type X
QuietRock® 500 QuietRock® 510	1/2" QuietRock® Wall Panel 1/2" QuietRock® Wall Panel

PROPRIETARY GYPSUM PANEL PRODUCTS FOR USE IN UL CLASSIFIED SYSTEMS

United States Gypsum Company / CGC Inc.	
UL Type Designation	Product Name
AR	5/8" Sheetrock® Brand AR Firecode® X Panels 5/8" Sheetrock® Brand Mold Tough® AR Firecode® X Panels 5/8" Sheetrock® Brand Glass-Mat Panels Mold Tough® AR Firecode® X 5/8" Sheetrock® Brand Mold Tough® VHI Firecode® X Panels 5/8" Sheetrock® Brand Glass-Mat Panels Mold Tough® VHI Firecode® X
C	1/2" Sheetrock® Brand Firecode® C Panels 1/2" Sheetrock® Brand Mold Tough® Firecode® C Panels 5/8" Sheetrock® Brand Firecode® C Panels 5/8" Sheetrock® Brand Mold Tough® Firecode® C Panels 5/8" Sheetrock® Brand MH Gypsum Base Board Firecode® C
FC30	5/8" Sheetrock® Brand EcoSmart Panels Firecode 30®
FRX-G	5/8" Fiberock® Brand AR Interior Panels 5/8" Fiberock® Brand Aqua-Tough™ AR Interior Panels 5/8" Fiberock® Brand Aqua-Tough™ Tile Backerboard 5/8" Securock® Brand Gypsum-Fiber Roof Board
IP-X1	5/8" Sheetrock® Brand Gypsum Base Imperial®, Firecode® X
IP-X2	1/2" Sheetrock® Brand Gypsum Base Imperial®, Firecode® C 5/8" Sheetrock® Brand Gypsum Base Imperial®, Firecode® C
R	1/4" Sheetrock® Brand Flexible Gypsum Panels
RLX	3/8" Rocklath® Brand Firecode® X Plaster Base
SCX	5/8" Sheetrock® Brand Firecode® X Panels 5/8" Sheetrock® Brand Foil-Backed Gypsum Panels Firecode® X 5/8" Sheetrock® Brand Mold Tough® Firecode® X Panels 5/8" Sheetrock® Brand MH Gypsum Base Board Firecode® X
SGMRX	1/4" Securock® Brand Glass-Mat Roof Board 1/2" Securock® Brand Glass-Mat Roof Board 5/8" Securock® Brand Glass-Mat Roof Board
SGX	5/8" Sheetrock® Brand Glass-Mat Panels Mold Tough® Firecode® X 5/8" Durock™ Brand Glass-Mat Tile Backerboard
SHX	5/8" Sheetrock® Brand Gypsum Sheathing Firecode® X
SLX	1" Sheetrock® Brand Gypsum Liner Panels 1" Sheetrock® Brand Mold Tough® Gypsum Liner Panels 1" Sheetrock® Brand Glass-Mat Liner Panels Mold Tough®
ULIX™	5/8" Sheetrock® Brand EcoSmart Panels Firecode® X 5/8" Sheetrock® Brand EcoSmart Panels Mold Tough® Firecode® X 5/8" Sheetrock® Brand UltraLight Panels Firecode® X 5/8" Sheetrock® Brand UltraLight Panels Mold Tough® Firecode® X
ULTRACODE	3/4" Sheetrock® Brand Ultracode® Core Panels 3/4" Sheetrock® Brand Mold Tough® Ultracode® Core Panels
ULX	5/8" Sheetrock® Brand UltraLight Panels Firecode® X 5/8" Sheetrock® Brand UltraLight Panels Mold Tough® Firecode® X
USGX	5/8" Securock® ExoAir® 430 Panel 5/8" Securock® Brand Glass-Mat Sheathing Firecode® X 5/8" Securock® Brand UltraLight Glass-Mat Sheathing Firecode® X

To confirm that a specific product is suitable per the *UL Fire Resistance Directory*, verify that the product bears the full UL Classification Mark. The UL Mark is required to be on each product that complies with the UL Classification and Follow Up Service requirements. A UL Classification Mark for gypsum board (CKNX) should contain the following information:

UL symbol, the word "CLASSIFIED" above the UL symbol, and the following additional information:

GYPSUM BOARD
FIRE RESISTANCE
CLASSIFICATION DESIGN
NO(S). _____
SEE UL FIRE RESISTANCE DIRECTORY
Issue No.
or
GYPSUM BOARD
FIRE RESISTANCE CLASSIFICATION
SEE UL FIRE RESISTANCE DIRECTORY
Issue No.

In addition to the UL Mark, each package or bundle of gypsum board will also contain a) the Classified company's name and/or "File No." b) Type Designation c) Nominal Thickness, and d) Factory ID.

UL does not reference trade names in the Classification information. Cross referencing the type designation on the product to the specified gypsum board in the *UL Fire Resistance Directory* is the only true way to verify the specified product is selected. The UL online directory is a free and up-to-date tool to reference the *UL Fire Resistance Directory* and to confirm the specified gypsum panel is suitable for use.

This document may be revised or withdrawn from circulation at any time. The status of the document should be verified by the user prior to following any recommendations contained herein. To verify that you have the most current edition of the document, access the Gypsum Association website at: www.gypsum.org.

NOTES:

GYPSUM ASSOCIATION MEMBERS 2018

AMERICAN GYPSUM COMPANY LLC
CERTAINTEED GYPSUM, INC. / CERTAINTEED GYPSUM CANADA, INC.
CONTINENTAL BUILDING PRODUCTS OPERATING COMPANY, LLC
GEORGIA-PACIFIC GYPSUM LLC
NATIONAL GYPSUM COMPANY
PABCO® GYPSUM
UNITED STATES GYPSUM COMPANY / CGC INC.