

PROPRIETARY GYPSUM PANEL PRODUCTS FOR USE IN UL CLASSIFIED SYSTEMS

(GA-605)

Rev. August 1, 2015

The *Fire Resistance Directory* published by Underwriters Laboratories Inc. lists gypsum panel products that are classified for fire resistance under category “Gypsum Board (CKNX).” Each UL Design lists the specific manufacturers and products that are suitable for use in the design. The products are identified with a Type designation that ties back to specific board formulations. The UL Type designation appears on the UL label on the product. However, gypsum board end tapes and product literature do not generally contain the UL type designation but a product name or trademark. The following tables provide a quick and easy reference to identify the specific products, brand names, or trademarks of each gypsum board manufacturer for each type designation in the *UL Directory*.

COMPANY NAME	PAGE
American Gypsum Company LLC	1
CertainTeed Gypsum Inc./CertainTeed Gypsum Canada Inc.	2
Continental Building Products	3
Georgia Pacific Gypsum LLC.	3
National Gypsum Company	4
PABCO Gypsum	5
United States Gypsum Company/CGC Inc.	6

American Gypsum Company LLC	
UL Type Designation	Product Name
AG-C	1/2” FireBloc® Type C 5/8” FireBloc® Type C 5/8” FireBloc® Type C Soffit 5/8” M-Bloc® Type C with Mold & Moisture Resistance
AGX-1, AGX-11	5/8” FireBloc® Type X 5/8” AquaBloc® Type X 5/8” Exterior Sheathing Type X 5/8” Soffit Type X 5/8” M-Bloc® Type X with Mold & Moisture Resistance 5/8” M-Bloc® AR Type X Abuse with Mold & Moisture Resistance 5/8” M-Bloc® IR Type X Impact with Mold & Moisture Resistance
AG-S	1” Shaft Liner 1” M-Bloc® Shaft Liner with Mold & Moisture Resistance
M-Glass	5/8” M-Glass® Type X Sheathing 1” M-Glass® Shaft Liner with Mold & Moisture Resistance

CertainTeed Gypsum, Inc./CertainTeed Gypsum Canada Inc.

UL Type Designation	Product Name
Type X	5/8" CertainTeed® Type X 5/8" CertainTeed® Moisture Resistant Type X 5/8" CertainTeed® Sheathing Treated Core Type X 5/8" CertainTeed® Abuse Resistant Type X 5/8" CertainTeed® Veneer Plaster Base Type X 5/8" CertainTeed® 54" Type X 5/8" CertainTeed® Evenwall Type X 5/8" CertainTeed® Exterior Soffit Type X 5/8" M2Tech® Type X 5/8" AirRenew® Essential Type X 5/8" AirRenew® M2Tech® Type X 5/8" AirRenew® Extreme Abuse 5/8" AirRenew® Extreme Impact
Type X-1	5/8" CertainTeed® Type X-1 5/8" CertainTeed® Moisture Resistant Type X-1 5/8" CertainTeed® Sheathing Treated Core Type X-1 5/8" CertainTeed® Veneer Plaster Base Type X-1 5/8" CertainTeed® 54" Type X-1 5/8" CertainTeed® Evenwall Type X-1 5/8" CertainTeed® Exterior Soffit Type X-1 5/8" M2Tech® Type X-1 5/8" AirRenew® Essential Type X-1 5/8" AirRenew® M2Tech Type X-1
Type C	1/2" CertainTeed® Type C 1/2" CertainTeed® Moisture Resistant Type C 1/2" CertainTeed® Sheathing Treated Core Type C 1/2" CertainTeed® Veneer Plaster Base Type C 1/2" CertainTeed® Exterior Soffit Type C 1/2" CertainTeed® Abuse Resistant Type C 1/2" M2Tech® Type C 5/8" CertainTeed® Type C 5/8" CertainTeed® Moisture Resistant Type C 5/8" CertainTeed® Sheathing Treated Core Type C 5/8" CertainTeed® Veneer Plaster Base Type C 5/8" CertainTeed® Exterior Soffit Type C 5/8" M2Tech® Type C
SilentFX	5/8" SilentFX® Type X
EGRG or GlasRoc	5/8" GlasRoc® Sheathing Type X 5/8" GlasRoc® Diamondback® Tile Backer Type X 5/8" GlasRoc® Roof Board Type X
Shaftliner	1" M2Tech® Shaftliner
GlasRoc Shaftliner	1" GlasRoc® Shaftliner
Easi-Lite Type X	5/8" CertainTeed® Easi-Lite™ Type X
Easi-Lite 30	5/8" CertainTeed® Easi-Lite™ 30

Continental Building Products	
UL Type Designation	Product Name
Type CLL30	5/8" LiftLite® Firecheck® 30
Type LGFC2A	5/8" Mold Defense® Type X
Type LGFC6A	5/8" Firecheck® Type X 5/8" Firecheck® Plasterbase Type X 5/8" Firecheck® Soffitboard Type X 5/8" Protecta® AR 100 with Mold Defense® Type X 5/8" Protecta® HIR 300 with Mold Defense® Type X 5/8" Rapid Deco® Level 5 Type X 5/8" Rapid Deco® Level 5 with Mold Defense® Type X
Type LGFC-C/A	1/2" Firecheck® Type C 1/2" Firecheck® Soffitboard Type C 5/8" Firecheck® Type C 5/8" Firecheck® Soffitboard Type C
Type LGFCSL	1" Shaftliner Type X 1" Mold Defense® Shaftliner Type X 1" Weather Defense Platinum® Shaftliner Type X
Type LGFC-WD	5/8" Weather Defense Platinum® Sheathing Type X 5/8" Weather Defense Platinum® Interior Type X

Georgia Pacific Gypsum LLC	
UL Type Designation	Product Name
Type TG-C	1/2" ToughRock® Fireguard C® Gypsum Board 1/2" ToughRock® Fireguard C® Stretch 54® Gypsum Board 5/8" ToughRock® Fireguard C® Gypsum Board 5/8" ToughRock® Fireguard C® Stretch 54® Gypsum Board 5/8" ToughRock® Fireguard C® Soffit Board
Type X	1/2" ToughRock® Fireguard® 45 Gypsum Board 5/8" ToughRock® Fireguard X™ Gypsum Board 5/8" ToughRock® Fireguard X™ Stretch 54® Gypsum Board 5/8" ToughRock® Fireguard X™ Gypsum Sheathing 5/8" ToughRock® Fireguard X™ Veneer Plaster Base 5/8" ToughRock® Fireguard X™ Abuse-Resistant Gypsum Board 5/8" ToughRock® Fireguard X™ Mold-Guard™ Gypsum Board 5/8" ToughRock® Fireguard X™ Mold-Guard™ Abuse-Resistant Gypsum Board
Type TP-6	1" ToughRock® Shaftliner
Type DGG	5/8" DensGlass® Fireguard® Sheathing
Type DD	5/8" DensDeck® Fireguard® Roof Board 5/8" DensDeck® Fireguard® Prime Roof Board
Type DS	5/8" DensShield® Fireguard® Tile Backer
Type DAP	5/8" DensArmor Plus® Fireguard® Interior Panel 5/8" DensArmor Plus® Fireguard® Abuse-Resistant Interior Panel 5/8" DensArmor Plus® Fireguard® Impact-Resistant Interior Panel
Type DGUSL	1" DensGlass® Shaftliner
Type DAPC	1/2" DensArmor Plus® Fireguard C® Interior Panel 5/8" DensArmor Plus® Fireguard C® Interior Panel

National Gypsum Company

UL Type Designation	Product Name
Type FSW	5/16" Gold Bond® Brand Fire-Shield® Gypsum Board 5/8" Gold Bond® Brand Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Fire-Shield® Exterior Soffit Board, Type X 5/8" Gold Bond® Brand Hi Abuse® XP® Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Hi-Impact® XP® Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Sta-Smooth® Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Fire-Shield® Gypsum Sheathing, Type X 5/8" Gold Bond® Brand XP® Fire-Shield® Gypsum Board, Type X 1" Gold Bond® Brand Fire-Shield® Shaftliner®, Type X 1" Gold Bond® Brand Fire-Shield® Shaftliner XP®, Type X
Type FSW-C	1/2" Gold Bond® Brand Fire-Shield C™ Gypsum Board, Type C 1/2" Gold Bond® Brand Sta-Smooth® Fire-Shield C™ Gypsum Board, Type C 5/8" Gold Bond® Brand Fire-Shield C™ Gypsum Board, Type C 5/8" Gold Bond® Brand Sta-Smooth® Fire-Shield C™ Gypsum Board, Type C 5/8" Gold Bond® Brand XP® Fire-Shield C™ Gypsum Board, Type C
Type FSK	5/8" Gold Bond® Brand Kal-Kore® Fire-Shield® Plaster Base, Type X
Type FSK-C	1/2" Gold Bond® Brand Kal-Kore® Fire-Shield C™ Plaster Base, Type C 5/8" Gold Bond® Brand Kal-Kore® Fire-Shield C™ Plaster Base, Type C
Type FSMR-C	1/2" Gold Bond® Brand XP® Fire-Shield C™ Gypsum Board, Type C 5/8" Gold Bond® Brand XP® Fire-Shield C™ Gypsum Board, Type C
Type FSW-G	1/2" Gridstone Brand Ceiling Panels 1/2" Gridstone Brand CleanRoom Ceiling Panels
Type FSW-3	5/8" Gold Bond® Brand XP® Fire-Shield® Gypsum Board, Type X
Type FSW-5	5/8" Gold Bond® Brand Hi-Impact® XP® Fire-Shield® Gypsum Board, Type X 5/8" Gold Bond® Brand Hi Abuse® XP® Fire-Shield® Gypsum Board, Type X
Type FSW-6	5/8" Gold Bond® Brand eXP® Extended Exposure Sheathing, Type X 5/8" Gold Bond® Brand eXP® Interior Extreme® Gypsum Panel, Type X 5/8" Gold Bond® Brand eXP® Fire-Shield® Tile Backer, Type X 5/8" Gold Bond® Brand eXP® Interior Extreme® IR Gypsum Panel, Type X 5/8" Gold Bond® Brand eXP® Interior Extreme® AR Gypsum Panel, Type X
Type FSW-7	1" Gold Bond® Brand eXP® Extended Exposure Shaftliner, Type X
Type FSW-8	5/8" Gold Bond® Brand Fire-Shield® Gypsum Sheathing, Type X
Type eXP-C	½" Gold Bond® Brand eXP® Interior Extreme® C Gypsum Panel, Type C 5/8" Gold Bond® Brand eXP® Interior Extreme® C Gypsum Panel, Type C
Type FSL30	5/8" Gold Bond® Brand High Strength Fire-Shield® LITE®30 Gypsum Board
Type FSL	5/8" Gold Bond® Brand High Strength Fire-Shield® LITE® Gypsum Board, Type X
Type SoundBreak XP	5/8" Gold Bond® Brand SoundBreak® XP® Gypsum Board, Type X
Type SoundBreak Gypsum Board	¾" Gold Bond® Brand SoundBreak Gypsum Board
Type UltraShield	¾" Gold Bond® Brand UltraShield Gypsum Board ¾" Gold Bond® Brand UltraShield XP Gypsum Board
Type DEXcell Glass Mat Roof Board	¼, ½, or 5/8" DEXcell Glass Mat Roof Board ¼, ½, or 5/8" DEXcell FA Glass Mat Roof Board

PABCO Gypsum	
UL Type Designation	Product Name
PG-10	1" PABCORE® Gypsum Shaftliner Board Type X 1" PABCORE® MOLD CURB® Plus Gypsum Shaftliner Board Type X 1" PABCO GLASS® Shaftliner Type X
PG-11	5/8" PABCO® Exterior Soffit Board Type X 5/8" PABCO FLAME CURB® Gypsum Wallboard Type X
PG-3	1/2" PABCO FLAME CURB® Gypsum Wallboard Type XXX 1/2" PABCO® Exterior Soffit Board Type XXX
PG-5W	5/8" PABCO WATER CURB® Gypsum Board Type X 5/8" PABCO MOLD CURB® Plus Type X 5/8" PABCO ABUSE CURB® Type X 5/8" PABCO® High Impact Type X
PG-5WS	5/8" PABCO® Gypsum Sheathing Type X
PG-C	1/2" PABCO FLAME CURB® Super C Gypsum Wallboard
PGS-WRS	5/8" PABCO GLASS® Exterior Sheathing Type X
QuietRock 530	5/8" QuietRock® 530 Sound Damped Gypsum Board Type X 5/8" QuietRock® 530 RF Sound Damped Gypsum Board Type X
QuietRock ES	5/8" QuietRock® ES Sound Damped Gypsum Board Type X 5/8" QuietRock® ES MR Sound Damped Gypsum Board Type X
Type C	5/8" PABCO FLAME CURB® Gypsum Wallboard Type C 5/8" PABCO® Exterior Soffit Board Type C

United States Gypsum Company/CGC Inc.

UL Type Designation	Product Name
FC30	5/8" SHEETROCK® Brand UltraLight Panels FIRECODE® 30
ULX	5/8" SHEETROCK® Brand UltraLight Panels FIRECODE® X
SCX	5/8" SHEETROCK® Brand FIRECODE® Core Gypsum Panels 5/8" SHEETROCK® Brand Mold Tough™ FIRECODE® Core Gypsum Panels 5/8" SHEETROCK® Brand Exterior Gypsum Ceiling Board, FIRECODE® Core 5/8" SHEETROCK® Brand MH Gypsum Base Board, FIRECODE® Core
C	1/2" SHEETROCK® Brand FIRECODE® C Core Gypsum Panels 1/2" SHEETROCK® Brand Mold Tough™ FIRECODE® C Core Gypsum Panels 1/2" SHEETROCK® Brand Exterior Gypsum Ceiling Board, FIRECODE® C Core 5/8" SHEETROCK® Brand FIRECODE® C Core Gypsum Panels 5/8" SHEETROCK® Brand Mold Tough™ FIRECODE® C Core Gypsum Panels 5/8" USG SHEETROCK® Exterior Gypsum Ceiling Board, FIRECODE® C Core
AR	5/8" SHEETROCK® Brand Abuse-Resistant FIRECODE® Core Gypsum Panels 5/8" SHEETROCK® Brand Mold Tough™ Abuse-Resistant FIRECODE® Core Gypsum Panels 5/8" SHEETROCK® Brand Mold Tough™ VHI FIRECODE® Core Gypsum Panel 3/4" SHEETROCK® Brand Abuse Resistant Panels, ULTRACODE® Core
SLX	1" SHEETROCK® Brand Gypsum Liner Panels 1" SHEETROCK® Brand Mold Tough™ Gypsum Liner Panels 1" SHEETROCK® Brand Glass Mat Liner Panels
ULTRACODE	3/4" SHEETROCK® Brand ULTRACODE® Core Gypsum Panels 3/4" SHEETROCK® Brand Mold Tough™ ULTRACODE® Core Gypsum Panels
SHX	5/8" SHEETROCK® Brand FIRECODE® Core Gypsum Sheathing
FRX-G	5/8" FIBEROCK® Interior Panels, Abuse-Resistant 5/8" FIBEROCK® Interior Panels, Abuse-Resistant VHI 5/8" FIBEROCK® Aqua-Tough™ Interior Panels 5/8" FIBEROCK® Aqua-Tough™ Tile Backerboard 5/8" SECUROCK® Roof Board
IP-X1	5/8" IMPERIAL® FIRECODE® Core Plaster Base
IP-X2	1/2" IMPERIAL® Brand FIRECODE® C Core Plaster Base 5/8" IMPERIAL® Brand FIRECODE® C Core Plaster Base
IP-X3	3/4" IMPERIAL® Gypsum Base, ULTRACODE® Core
IP-AR	5/8" IMPERIAL® Gypsum Base Abuse Resistant Panels, FIRECODE® Core 3/4" IMPERIAL® Gypsum Base Abuse Resistant Panels, ULTRACODE® Core
IPC-AR	1/2" IMPERIAL® Gypsum Base Abuse Resistant Panels, FIRECODE® C Core 5/8" IMPERIAL® Gypsum Base Abuse Resistant Panels, FIRECODE® C Core
RLX	3/8" ROCKLATH® Brand FIRECODE® Gypsum Lath
SGMRX	1/4" SECUROCK® Glass Mat Roof Board 1/2" SECUROCK® Glass Mat Roof Board 5/8" SECUROCK® Glass Mat Roof Board
SGX	5/8" SHEETROCK® Brand Glass-Mat Interior Panels Mold Tough™ FIRECODE® X
USGX	5/8" SECUROCK® Brand FIRECODE® Glass Mat Sheathing
ULIX	5/8 in. SHEETROCK® Brand UltraLight Panels FIRECODE® X

To confirm that a specific product is suitable for the UL *Fire Resistance Directory*, verify that the product bears the full UL Classification Mark. The UL Mark is required to be on each product that complies with the UL Classification and Follow Up Service requirements. A UL Classification Mark for gypsum board (CKNX) should contain the following information:


UL symbol, the word "CLASSIFIED" above the UL symbol,
and the following additional information:

GYPSUM BOARD
FIRE RESISTANCE CLASSIFICATION
DESIGN NO(S). ____
SEE UL FIRE RESISTANCE DIRECTORY
Issue No.
or
GYPSUM BOARD
FIRE RESISTANCE CLASSIFICATION
SEE UL FIRE RESISTANCE DIRECTORY
Issue No.

In addition to the UL Mark, each package or bundle of gypsum board will also contain a) the Classified company's name and/or "File No.," b) Type Designation, c) Nominal Thickness, and d) Factory ID.

UL does not reference trade names in the Classification information. Cross referencing the type designation on the product to the specified gypsum board in the UL *Fire Resistance Directory* is the only true way to verify the specified product is selected. The UL online directory is a free and up to date tool to reference UL *Fire Resistance Directory's* and to confirm the specified gypsum board is suitable for use.

This document may be revised or withdrawn from circulation at any time. The status of the document should be verified by the user prior to following any recommendations contained herein. To verify that you have the most current edition of the document, access the Gypsum Association website at: www.gypsum.org.



GYPSUM ASSOCIATION
6525 BELCREST ROAD, SUITE 480
HYATTSVILLE, MD 20782
301-277-8686
Fax: 301-277-8747
E-mail: info@gypsum.org
<http://www.gypsum.org>